

May 09, 2016

Meagan E. Ormand
Golder Associates Inc.
2108 W. Laburnum Ave.
Suite 200
Richmond, VA 23227

RE: Project: Bremo Weekly Process
Pace Project No.: 92296478

Dear Meagan Ormand:

Enclosed are the analytical results for sample(s) received by the laboratory on May 05, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Nicole Gasiorowski
nicole.gasiorowski@pacelabs.com
Project Manager

Enclosures

cc: Ron DiFrancesco, Golder Associates Inc.
Mike Williams, Golder Associates Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: Bremo Weekly Process

Pace Project No.: 92296478

Ormond Beach Certification IDs

8 East Tower Circle, Ormond Beach, FL 32174
Alabama Certification #: 41320
Connecticut Certification #: PH-0216
Delaware Certification: FL NELAC Reciprocity
Florida Certification #: E83079
Georgia Certification #: 955
Guam Certification: FL NELAC Reciprocity
Hawaii Certification: FL NELAC Reciprocity
Illinois Certification #: 200068
Indiana Certification: FL NELAC Reciprocity
Kansas Certification #: E-10383
Louisiana Certification #: FL NELAC Reciprocity
Louisiana Environmental Certificate #: 05007
Maryland Certification: #346
Michigan Certification #: 9911
Mississippi Certification: FL NELAC Reciprocity
Missouri Certification #: 236
Montana Certification #: Cert 0074

Nebraska Certification: NE-OS-28-14
Nevada Certification: FL NELAC Reciprocity
New York Certification #: 11608
North Carolina Environmental Certificate #: 667
North Carolina Certification #: 12710
North Dakota Certification #: R-216
Oklahoma Certification #: D9947
Pennsylvania Certification #: 68-00547
Puerto Rico Certification #: FL01264
South Carolina Certification: #96042001
Tennessee Certification #: TN02974
Texas Certification: FL NELAC Reciprocity
US Virgin Islands Certification: FL NELAC Reciprocity
Virginia Environmental Certification #: 460165
Wyoming Certification: FL NELAC Reciprocity
West Virginia Certification #: 9962C
Wisconsin Certification #: 399079670
Wyoming (EPA Region 8): FL NELAC Reciprocity

Charlotte Certification IDs

9800 Kinney Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12

South Carolina Certification #: 99006001
Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
Virginia/VELAP Certification #: 460221

Asheville Certification IDs

2225 Riverside Drive, Asheville, NC 28804
Florida/NELAP Certification #: E87648
Massachusetts Certification #: M-NC030
North Carolina Drinking Water Certification #: 37712

North Carolina Wastewater Certification #: 40
South Carolina Certification #: 99030001
Virginia/VELAP Certification #: 460222

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: Bremo Weekly Process

Pace Project No.: 92296478

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92296478001	T1-160505-1245-S3	EPA 1664B	CLW	1	PASI-C
		EPA 200.7	CKJ	1	PASI-O
		Trivalent Chromium Calculation	CKJ	1	PASI-O
		EPA 200.8	CKJ	10	PASI-O
		EPA 245.1	SH1	1	PASI-A
		SM 2540D	MJP	1	PASI-A
		EPA 218.7	AEM	1	PASI-O
		EPA 350.1	AES2	1	PASI-A
		SM 4500-CI-E	AES2	1	PASI-A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: Bremo Weekly Process

Pace Project No.: 92296478

Method: EPA 1664B

Description: HEM, Oil and Grease

Client: Golder_Dominion_Bremo

Date: May 09, 2016

General Information:

1 sample was analyzed for EPA 1664B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: Bremo Weekly Process

Pace Project No.: 92296478

Method: EPA 200.7

Description: 200.7 MET ICP

Client: Golder_Dominion_Bremo

Date: May 09, 2016

General Information:

1 sample was analyzed for EPA 200.7. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 200.7 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: Bremo Weekly Process

Pace Project No.: 92296478

Method: Trivalent Chromium Calculation

Description: Trivalent Chromium Calculation

Client: Golder_Dominion_Bremo

Date: May 09, 2016

General Information:

1 sample was analyzed for Trivalent Chromium Calculation. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: Bremo Weekly Process
Pace Project No.: 92296478

Method: EPA 200.8
Description: 200.8 MET ICPMS
Client: Golder_Dominion_Bremo
Date: May 09, 2016

General Information:

1 sample was analyzed for EPA 200.8. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 200.8 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: Bremo Weekly Process

Pace Project No.: 92296478

Method: EPA 245.1

Description: 245.1 Mercury

Client: Golder_Dominion_Bremo

Date: May 09, 2016

General Information:

1 sample was analyzed for EPA 245.1. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 245.1 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: Bremo Weekly Process

Pace Project No.: 92296478

Method: SM 2540D

Description: 2540D TSS, Low-Level

Client: Golder_Dominion_Bremo

Date: May 09, 2016

General Information:

1 sample was analyzed for SM 2540D. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: Bremo Weekly Process

Pace Project No.: 92296478

Method: EPA 218.7

Description: Hexavalent Chromium by IC

Client: Golder_Dominion_Bremo

Date: May 09, 2016

General Information:

1 sample was analyzed for EPA 218.7. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: Bremo Weekly Process

Pace Project No.: 92296478

Method: EPA 350.1

Description: 350.1 Ammonia

Client: Golder_Dominion_Bremo

Date: May 09, 2016

General Information:

1 sample was analyzed for EPA 350.1. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: Bremo Weekly Process

Pace Project No.: 92296478

Method: SM 4500-CI-E

Description: 4500 Chloride

Client: Golder_Dominion_Bremo

Date: May 09, 2016

General Information:

1 sample was analyzed for SM 4500-CI-E. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Bremo Weekly Process
Pace Project No.: 92296478

Sample: T1-160505-1245-S3		Lab ID: 92296478001		Collected: 05/05/16 12:45		Received: 05/05/16 13:48		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data		Analytical Method:							
Collected By	M. Ormand			1		05/05/16 11:48			
Collected Date	5/5/16			1		05/05/16 11:48			
Collected Time	12:45			1		05/05/16 11:48			
Field pH	8.0	Std. Units	0.10	1		05/05/16 11:48			
HEM, Oil and Grease		Analytical Method: EPA 1664B							
Oil and Grease	ND	mg/L	5.0	1		05/09/16 11:08			
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7							
Tot Hardness asCaCO3 (SM 2340B	88600	ug/L	3300	1	05/06/16 12:10	05/06/16 15:54			
Trivalent Chromium Calculation		Analytical Method: Trivalent Chromium Calculation							
Chromium, Trivalent	ND	ug/L	5.0	1		05/06/16 17:10	16065-83-1		
200.8 MET ICPMS		Analytical Method: EPA 200.8 Preparation Method: EPA 200.8							
Antimony	5.3	ug/L	5.0	1	05/06/16 12:10	05/06/16 16:17	7440-36-0		
Arsenic	20.8	ug/L	5.0	1	05/06/16 12:10	05/06/16 16:17	7440-38-2		
Cadmium	ND	ug/L	1.0	1	05/06/16 12:10	05/06/16 16:17	7440-43-9		
Copper	ND	ug/L	5.0	1	05/06/16 12:10	05/06/16 16:17	7440-50-8		
Lead	ND	ug/L	5.0	1	05/06/16 12:10	05/06/16 16:17	7439-92-1		
Nickel	ND	ug/L	5.0	1	05/06/16 12:10	05/06/16 16:17	7440-02-0		
Selenium	ND	ug/L	5.0	1	05/06/16 12:10	05/06/16 16:17	7782-49-2		
Silver	ND	ug/L	0.40	1	05/06/16 12:10	05/06/16 16:17	7440-22-4		
Thallium	ND	ug/L	1.0	1	05/06/16 12:10	05/06/16 16:17	7440-28-0		
Zinc	ND	ug/L	25.0	1	05/06/16 12:10	05/06/16 16:17	7440-66-6		
245.1 Mercury		Analytical Method: EPA 245.1 Preparation Method: EPA 245.1							
Mercury	ND	ug/L	0.10	1	05/06/16 11:30	05/06/16 14:48	7439-97-6		
2540D TSS, Low-Level		Analytical Method: SM 2540D							
Total Suspended Solids	4.1	mg/L	1.0	1		05/06/16 11:00			
Hexavalent Chromium by IC		Analytical Method: EPA 218.7							
Chromium, Hexavalent	ND	ug/L	25.0	5		05/06/16 15:18	18540-29-9		
350.1 Ammonia		Analytical Method: EPA 350.1							
Nitrogen, Ammonia	ND	mg/L	0.20	1		05/06/16 12:15	7664-41-7		
4500 Chloride		Analytical Method: SM 4500-Cl-E							
Chloride	25.4	mg/L	10.0	2		05/06/16 11:44	16887-00-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Bremo Weekly Process

Pace Project No.: 92296478

QC Batch: GCSV/24916

Analysis Method: EPA 1664B

QC Batch Method: EPA 1664B

Analysis Description: 1664 HEM, Oil and Grease

Associated Lab Samples: 92296478001

METHOD BLANK: 1728717

Matrix: Water

Associated Lab Samples: 92296478001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Oil and Grease	mg/L	ND	5.0	05/09/16 11:07	

LABORATORY CONTROL SAMPLE & LCSD: 1728718

1728719

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Oil and Grease	mg/L	40	35.9	38.1	90	95	78-114	6	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Bremo Weekly Process

Pace Project No.: 92296478

QC Batch: MERP/9374

Analysis Method: EPA 245.1

QC Batch Method: EPA 245.1

Analysis Description: 245.1 Mercury

Associated Lab Samples: 92296478001

METHOD BLANK: 1727632

Matrix: Water

Associated Lab Samples: 92296478001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	ND	0.20	05/06/16 14:44	

LABORATORY CONTROL SAMPLE: 1727633

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	2.5	2.6	104	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1727634 1727635

Parameter	Units	92296478001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Mercury	ug/L	ND	2.5	2.5	2.5	2.5	100	101	70-130	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Bremo Weekly Process

Pace Project No.: 92296478

QC Batch: MPRP/30260

Analysis Method: EPA 200.7

QC Batch Method: EPA 200.7

Analysis Description: 200.7 MET

Associated Lab Samples: 92296478001

METHOD BLANK: 1564784

Matrix: Water

Associated Lab Samples: 92296478001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Tot Hardness asCaCO3 (SM 2340B	ug/L	ND	3300	05/06/16 15:46	

LABORATORY CONTROL SAMPLE: 1564785

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tot Hardness asCaCO3 (SM 2340B	ug/L	82700	84600	102	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1564786 1564787

Parameter	Units	92296481001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Tot Hardness asCaCO3 (SM 2340B	ug/L	89400	82700	82700	175000	173000	103	101	70-130	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Bremo Weekly Process
Pace Project No.: 92296478

QC Batch: MPRP/30261 Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET
Associated Lab Samples: 92296478001

METHOD BLANK: 1564790 Matrix: Water
Associated Lab Samples: 92296478001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Antimony	ug/L	ND	5.0	05/06/16 16:12	
Arsenic	ug/L	ND	5.0	05/06/16 16:12	
Cadmium	ug/L	ND	1.0	05/06/16 16:12	
Copper	ug/L	ND	5.0	05/06/16 16:12	
Lead	ug/L	ND	5.0	05/06/16 16:12	
Nickel	ug/L	ND	5.0	05/06/16 16:12	
Selenium	ug/L	ND	5.0	05/06/16 16:12	
Silver	ug/L	ND	0.40	05/06/16 16:12	
Thallium	ug/L	ND	1.0	05/06/16 16:12	
Zinc	ug/L	ND	25.0	05/06/16 16:12	

LABORATORY CONTROL SAMPLE: 1564791

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Antimony	ug/L	50	48.3	97	85-115	
Arsenic	ug/L	50	51.1	102	85-115	
Cadmium	ug/L	5	5.1	102	85-115	
Copper	ug/L	50	52.3	105	85-115	
Lead	ug/L	50	50.1	100	85-115	
Nickel	ug/L	50	51.7	103	85-115	
Selenium	ug/L	50	51.9	104	85-115	
Silver	ug/L	5	5.1	102	85-115	
Thallium	ug/L	50	52.0	104	85-115	
Zinc	ug/L	250	264	106	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1564792 1564793

Parameter	Units	92296478001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Antimony	ug/L	5.3	50	50	54.0	53.9	97	97	70-130	0	
Arsenic	ug/L	20.8	50	50	71.4	71.0	101	100	70-130	1	
Cadmium	ug/L	ND	5	5	5.0	5.0	100	100	70-130	0	
Copper	ug/L	ND	50	50	50.5	50.6	100	100	70-130	0	
Lead	ug/L	ND	50	50	50.2	50.3	100	100	70-130	0	
Nickel	ug/L	ND	50	50	50.7	51.2	99	100	70-130	1	
Selenium	ug/L	ND	50	50	53.6	52.5	103	101	70-130	2	
Silver	ug/L	ND	5	5	5.0	4.8	99	97	70-130	2	
Thallium	ug/L	ND	50	50	52.4	52.0	104	103	70-130	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Bremo Weekly Process

Pace Project No.: 92296478

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1564792 1564793											
Parameter	Units	92296478001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Zinc	ug/L	ND	250	250	254	253	101	101	70-130	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Bremo Weekly Process

Pace Project No.: 92296478

QC Batch: WET/44738

Analysis Method: SM 2540D

QC Batch Method: SM 2540D

Analysis Description: 2540D Total Suspended Solids

Associated Lab Samples: 92296478001

METHOD BLANK: 1727625

Matrix: Water

Associated Lab Samples: 92296478001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Suspended Solids	mg/L	ND	1.0	05/06/16 11:00	

LABORATORY CONTROL SAMPLE: 1727626

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Suspended Solids	mg/L	250	238	95	90-110	

SAMPLE DUPLICATE: 1727627

Parameter	Units	92296478001 Result	Dup Result	RPD	Qualifiers
Total Suspended Solids	mg/L	4.1	4.2	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Bremo Weekly Process

Pace Project No.: 92296478

QC Batch: WETA/57532

Analysis Method: EPA 218.7

QC Batch Method: EPA 218.7

Analysis Description: Chromium, Hexavalent IC

Associated Lab Samples: 92296478001

METHOD BLANK: 1564497

Matrix: Water

Associated Lab Samples: 92296478001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chromium, Hexavalent	ug/L	ND	5.0	05/06/16 13:30	

LABORATORY CONTROL SAMPLE: 1564498

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chromium, Hexavalent	ug/L	.075	.077J	103	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1564499 1564500

Parameter	Units	92296222001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Chromium, Hexavalent	ug/L	0.41	.75	.75	1.2J	1.2J	111	111	85-115	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Bremo Weekly Process
Pace Project No.: 92296478

QC Batch:	WETA/27511	Analysis Method:	EPA 350.1
QC Batch Method:	EPA 350.1	Analysis Description:	350.1 Ammonia
Associated Lab Samples:	92296478001		

METHOD BLANK: 1727628 Matrix: Water
Associated Lab Samples: 92296478001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, Ammonia	mg/L	ND	0.20	05/06/16 12:12	

LABORATORY CONTROL SAMPLE: 1727629

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Ammonia	mg/L	5	4.9	97	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1727630 1727631

Parameter	92296478001		MS	MSD	MS	MSD	MS	MSD	% Rec	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits		
Nitrogen, Ammonia	mg/L	ND	5	5	4.9	4.9	99	98	90-110	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Bremo Weekly Process

Pace Project No.: 92296478

QC Batch:	WETA/27510	Analysis Method:	SM 4500-Cl-E
QC Batch Method:	SM 4500-Cl-E	Analysis Description:	4500 Chloride
Associated Lab Samples:	92296478001		

METHOD BLANK: 1727569 Matrix: Water

Associated Lab Samples: 92296478001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	ND	5.0	05/06/16 11:43	

LABORATORY CONTROL SAMPLE: 1727570

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	21.4	107	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1727571 1727572

Parameter	92296478001		MS	MSD	MS	MSD	MS	MSD	% Rec	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.							
Chloride	mg/L	25.4	10	10	35.6	36.0	102	106	90-110	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: Bremo Weekly Process

Pace Project No.: 92296478

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

Acid preservation may not be appropriate for 2 Chloroethylvinyl ether, Styrene, and Vinyl chloride.

A separate vial preserved to a pH of 4-5 is recommended in SW846 Chapter 4 for the analysis of Acrolein and Acrylonitrile by EPA Method 8260.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-A Pace Analytical Services - Asheville

PASI-C Pace Analytical Services - Charlotte

PASI-O Pace Analytical Services - Ormond Beach

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE


Project: Bremo Weekly Process

Pace Project No.: 92296478

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92296478001	T1-160505-1245-S3		FLD/		
92296478001	T1-160505-1245-S3	EPA 1664B	GCSV/24916		
92296478001	T1-160505-1245-S3	EPA 200.7	MPRP/30260	EPA 200.7	ICP/18084
92296478001	T1-160505-1245-S3	Trivalent Chromium Calculation	ICP/18085		
92296478001	T1-160505-1245-S3	EPA 200.8	MPRP/30261	EPA 200.8	ICPM/12240
92296478001	T1-160505-1245-S3	EPA 245.1	MERP/9374	EPA 245.1	MERC/9007
92296478001	T1-160505-1245-S3	SM 2540D	WET/44738		
92296478001	T1-160505-1245-S3	EPA 218.7	WETA/57532		
92296478001	T1-160505-1245-S3	EPA 350.1	WETA/27511		
92296478001	T1-160505-1245-S3	SM 4500-CI-E	WETA/27510		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

	Document Name: Sample Condition Upon Receipt(SCUR)	Document Revised: 26FEB2016 Page 1 of 2
	Document No.: F-MEC-CS-009-rev.02	Issuing Authority: Pace Mechanicsville Quality Office

Sample Condition Upon Receipt

Client Name:

Goldier/Bremo

Project #:

WO# : 92296478



Courier:

☐ Commercial

☐ Fed Ex

☐ UPS

☐ USPS

☐ Client

☒ Pace

☐ Other:

Custody Seal Present?

☒ Yes

☐ No

Seals Intact?

☒ Yes

☐ No

Packing Material:

☐ Bubble Wrap

☒ Bubble Bags

☐ None

☐ Other:

Thermometer:

☒ RMD001

☐

Type of Ice:

☒ Wet

☐ Blue

☐ None

☒ Samples on ice, cooling process has begun

Correction Factor: 0.0°C

Cooler Temp Corrected (°C):

3.7

Date/Initials Person Examining Contents: 5-5-16

Biological Tissue Frozen?

☐ Yes

☐ No

☐ N/A

Temp should be above freezing to 6°C

USDA Regulated Soil (☐ N/A, water sample)

Did samples originate in a quarantine zone within the United States: CA, NY, or SC (check maps)?

☐ Yes ☐ No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐ Yes ☐ No

		COMMENTS:
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container:
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>WW</u>		
All containers needing acid/base preservation have been checked?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
(HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide)		
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC,LLHg	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples checked for dechlorination	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>5-6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? ☐ Yes ☐ No

Person Contacted:

Date/Time:

Comments/Resolution:

Project Manager SCURF Review:

NMG

Date:

5/5/16

Project Manager SRF Review:

NMG

Date:


5/5/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers)

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

[illegible]

	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26FEB2016 Page 1 of 2
	Document No.: F-MEC-CS-009-rev.02	Issuing Authority: Pace Mechanicsville Quality Office

Sample Condition Upon Receipt

Client Name:

Golden/Bremo

Project #:

WO# : 92296478



Courier:

☐ Commercial

☐ Fed Ex

☐ UPS

☐ USPS

☐ Client

☒ Pace

☐ Other:

Custody Seal Present?

☒ Yes

☐ No

Seals Intact?

☒ Yes

☐ No

Packing Material:

☐ Bubble Wrap

☒ Bubble Bags

☐ None

☐ Other:

Thermometer:

☒ RMD001

☐

Type of Ice:

☒ Wet

☐ Blue

☐ None

☒ Samples on ice, cooling process has begun

Correction Factor: 0.0°C

Cooler Temp Corrected (°C):

3.7

Date/Initials Person Examining Contents 5-5-16

Biological Tissue Frozen?

☐ Yes

☐ No

☐ N/A

Temp should be above freezing to 6°C

USDA Regulated Soil (☐ N/A, water sample)

Did samples originate in a quarantine zone within the United States: CA, NY, or SC (check maps)?

☐ Yes ☐ No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐ Yes ☐ No

		COMMENTS:
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>WW</u>		
All containers needing acid/base preservation have been checked?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
(HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide)		
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples checked for dechlorination	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>5-6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? ☐ Yes ☐ No

Person Contacted:

Date/Time:

Comments/Resolution:

Project Manager SCURF Review:

NMG

Date:

5/5/16

Project Manager SRF Review:

NMG

Date:

5/5/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers)



CHAIN-OF-CUSTODY / Analytical Request Document
The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information: Company: **Goldier Associates** Address: **2108 W Laburnum Ave, Ste 200 Richmond, VA 23227** Email To: **Mormand@golder.com** Phone: **804-551-0129** Fax: **804-358-2900** Requested Due Date/TAT: **24 HOUR**

Section B Required Project Information: Report To: **Mormand@golder.com** Copy To: **Martha_Smith@golder.com** Ron_DiFrancesco@golder.com Purchase Order No.: Project Name: **Bremo Weekly Sample - Paces** Project Number: **1520-347-220**

Section C Invoice Information: Attention: **Meagan Ormand** Company Name: **Goldier Associates** Address: **gairapdataentry_invoices@golder.com** Reference: **Pace Project Manager** Pace Profile #

Page: **1** of **1**

REGULATORY AGENCY

NPDES ☐ GROUND WATER ☐ DRINKING WATER ☐ UST ☐ RCRA ☐ OTHER ☐

Site Location STATE: **VA**

Requested Analysis Filtered (Y/N)

ITEM #	Section D Required Client Information		Valid Matrix Codes	
	MATRIX	CODE	DIV	WATER
SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE	DRINKING WATER	WT		
	WASTE WATER	WW		
	PRODUCT	P		
	SOIL/SOLID	SL		
	OIL	OL		
	WIPE	WP		
	AIR	AP		
	OTHER	OT		
	TISSUE	TS		
	MATRIX CODE (see valid codes to left)			
SAMPLE TYPE (G=GRAB C=COMP)				
COLLECTED		DATE		
COMPOSITE START		TIME		
COMPOSITE END/GRAB		DATE		
TIME		SAMPLE TEMP AT COLLECTION		
# OF CONTAINERS				
Unpreserved				
H ₂ SO ₄				
HNO ₃				
HCl				
NaOH				
Na ₂ S ₂ O ₃				
Methanol				
Other				
↓ Analysis Test ↓				
Y/N ↓				
200.8 - Sb, As, Cd, Cr (III)				
200.8 - Pb, Ni ,Se, Zn, Cu				
200.8 - Ag, Th				
245.1 - Hg				
218.6(7) - Cr (VI)				
SM4500 - Chloride				
1664B - Oil&Grease				
350.1 - Ammonia-N				
SM2540D - TSS				
200.7 - Hardness				
Residual Chlorine (Y/N)				
Pace Project No./ Lab I.D.				

1	TI-160505-1245-53	WW	C	1/1	5/5/16	12:45		10	X								X	X	X	X	X	X	X	X	X	X		
2																												
3																												
4																												
5																												
6																												
7																												
8																												
9																												
10																												
11																												
12																												

ADDITIONAL COMMENTS: RETURNED BY / AFFILIATION: **Goldier** DATE: **5/5/16** TIME: **13:48** ACCEPTED BY / AFFILIATION: **J. Ormand** DATE: **5-5** TIME: **13:49** SAMPLE CONDITIONS: Temp in °C: **3.7** Received on Ice (Y/N): **Y** Custody Sealed Cooler (Y/N): **Y** Samples Intact (Y/N): **Y**

SAMPLER NAME AND SIGNATURE: PRINT Name of SAMPLER: **J. Ormand** SIGNATURE of SAMPLER: **J. Ormand** DATE Signed (MM/DD/YY): **5/5/16**